| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-----------|-------|----------------------------------------------------------------------|-------------------------------------------------------|---------------------|---------|------------------|
| S1 | 98 | (masaki near ukai).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/16 15:01 |
| S2 | 15 | (hitoshi near ohno).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/16 14:13 |
| S3 | | (koichiro near masunaga).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/16 14:13 |
| S4 | _ 27 | (mutsuhisa near miyamoto).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/16 14:12 |
| S5 . | 7 | (kazunobu near takami).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/16 14:11 |
| S6 | 3 | S1 and S2 and S3 and S4 and S5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 16:24 |
| S7 | 50082 | (thermoplastic near resin).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/16 16:13 |
| S8 | 364 | (thermoplastic near resin with plasticizer).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/16 16:50 |
| S10 | 19 | (thermoplastic near resin with plasticizer) and (gelling near agent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 14:42 |

| S11 | 4 | ((thormonlastic page rasin with | LIC DCDLIE | OR | ON | 2007/01/16 15:02 |
|-----|-------|------------------------------------------------------------------------------------|-------------------------------------------------------|------|----|------------------|
| 211 | 4 | ((thermoplastic near resin with plasticizer) and (gelling near agent)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OK | ON | 2007/01/16 15:03 |
| S12 | 14 | (thermoplastic near resin with plasticizer).ti. and automobile | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/16 15:06 |
| S13 | 51 | (gelling near agent).ab. and automobile | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/16 15:47 |
| S14 | 3 | (gelling near agent with \$4acryl\$4). ab. and automobile | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/16 15:46 |
| S15 | 2 | (two adj (component or part) with (thermoplastic near resin) same (gelling)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/16 16:52 |
| S17 | 3 | (two adj (component or part) same (thermoplastic near resin) same (gelling)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/16 16:53 |
| S18 | . 6 | (thermoplastic near resin with plasticizer) same (gelling near agent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/16 16:58 |
| S19 | 8863 | (gelling near agent).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR · | ON | 2007/01/17 10:44 |
| S20 | . 154 | ((gelling near agent) same (room adj temperature)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 11:57 |
| S21 | 493 | ((gelling near agent) with (room adj temperature)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 10:48 |

| S22 | 1 | ((gelling near agent) with (room adj temperature)) and (thermoplastic adj resin).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 10:48 |
|-----|-------|--------------------------------------------------------------------------------------------|-------------------------------------------------------|------|----|------------------|
| S23 | 18 | ((gelling near agent) with (room adj temperature)) and (thermoplastic adj resin) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR . | ON | 2007/01/17 11:37 |
| S24 | 195 | (gelling near agent with benzoate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 11:42 |
| S25 | 1 | (gelling near agent with (benzoate near plasticizer)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR . | ON | 2007/01/17 11:38 |
| S26 | 1 | (gelling near agent with benzoate with plasticizer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 11:39 |
| S27 | 2760 | (gelling near agent).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 11:42 |
| S28 | 3 | (gelling near agent with benzoate). ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 11:46 |
| S29 | 56 | (benzoate with plasticizer).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 11:46 |
| S30 | 21062 | (thermosetting adj resin with epoxy) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 11:54 |
| S31 | 1106 | (thermosetting adj resin with epoxy).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 11:55 |

| S32 | · 125 | (thermosetting adj resin with epoxy same (latent adj curing agent)).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 11:55 |
|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|----|----|------------------|
| S33 | 28 | ((gelling near agent) near (\$4acryl\$4)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 12:00 |
| S34 | 325 | ((gelling near agent) near (\$4acryl\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 12:02 |
| S35 | 2 | (two adj (component or part) with (thermoplastic near resin) same (gelling)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 12:10 |
| S36 | 7 | "5698059".pn. WO-9411083-\$.did. JP-6234827-\$.did. JP-8500531-\$. did. JP-8165398-\$.did. JP-2001040329-\$.did. WO-200188011-\$.did. EP-1283229-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 13:35 |
| S37 | 9 | "5698059".pn. WO-9411083-\$.did. JP-06234827-\$.did. JP-08500531-\$. did. JP-80165398-\$.did. JP-2001040329-\$.did. WO-200188011-\$.did. EP-1283229-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 13:41 |
| S38 | 337 | 524/22.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 13:46 |
| S39 | 1465 | 524/569.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 13:46 |
| S40 · | 256 | 524/569.ccls. and (benzoate or \$4acryl\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 13:47 |

| | • | | | | | |
|-----|------|--------------------------------------------------------------------------------------|-------------------------------------------------------|------|------|------------------|
| S41 | 36 | 524/569.ccls. and (benzoate or \$4acryl\$4) and automobile | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON . | 2007/01/17 13:47 |
| S42 | 13 | (thermoplastic near resin with plasticizer) and (gelling near agent) and viscosity | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON . | 2007/01/17 15:03 |
| S43 | 3 | (thermoplastic near resin with plasticizer) same (gelling near agent) same viscosity | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 15:03 |
| S44 | 259 | (thermoplastic near resin with plasticizer) same viscosity | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR . | ON | 2007/01/17 15:04 |
| S45 | 5 | (thermoplastic near resin with plasticizer) same (viscosity with pa) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 15:05 |
| S46 | 1596 | (latent adj curing adj agent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 15:06 |
| S47 | 88 | (latent adj curing adj agent) with (thermosetting adj resin) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 15:06 |
| S48 | 38 | (latent adj curing adj agent) with (thermosetting adj resin with epoxy) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 15:48 |
| S49 | 1574 | (automobile with assembly adj line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 15:22 |
| S50 | 0 | (automobile with (assembly adj line)) with (thermoplastic adj resin) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON . | 2007/01/17 15:18 |

| | | | 1 | r | | |
|-----|-----|--------------------------------------------------------------------------------------------|-------------------------------------------------------|----|----|------------------|
| S51 | 1 | (automobile with (assembly adj line)) and (thermoplastic adj resin). ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 15:19 |
| S52 | 7 | (automobile with (assembly adj line)) and (thermoplastic adj resin). ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 15:23 |
| S53 | 34 | (automobile with (assembly adj line)) and (thermoplastic adj resin) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 15:26 |
| S54 | 3 | ((coating) same (thermoplastic adj resin)) and (automobile with (assembly adj line)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ÖN | 2007/01/17 15:27 |
| S55 | 6 | ((coat\$4) same (thermoplastic adj resin)) and (automobile with (assembly adj line)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 15:27 |
| S56 | . 2 | (latent adj curing adj agent) with (accelerate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 15:50 |
| S57 | 43 | (latent adj curing adj agent) same (accelerate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 15:50 |
| S58 | | "5166229".pn. "4386992".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/01/17 16:46 |